



Pacific Hoists

CROSBYIP LIFTING CLAMPS

The CrosbyIP range of lifting clamps are manufactured from high quality steel which has been forged, quenched, tempered and heat-treated to guarantee the safety and durability required by industrial applications. All clamps have been ergonomically designed to be user friendly (smaller, lighter and more compact), while not sacrificing strength and durability.

The CrosbyIP lifting clamps are available in a variety of models to allow the lifting and transferring of steel plates and other materials in a wide variety of industries. These industries include ship building, offshore, aircraft, construction and metal-processing.

Features

- All models are manufactured to comply with AS4991.
- Manufactured by a market world leader.
- All clamps have been subject to rigorous quality control for maximum reliability.
- All products are supplied with a test certificate and instruction manual.
- All vertical plate clamps may be used to lift materials with a hardness up to 345 Brinell (37Rc).



IPBC Horizontal Lifting Clamp



IPNM10 Non Marring Vertical Plate



IPU10 Vertical Plate Clamp

Specifications

| CLAMP TYPE | MODEL | RATED CAPACITY (KG) | JAW (MM) | STOCK CODE |
|---|------------|---------------------|----------|------------|
| Universal Vertical Plate | | | | |
| This model is based on the IP10 lifting clamp but is equipped with a universal (hinged) hoisting eye. This makes it possible to lift loads from any given direction. The IPU10 clamp is also very useful in applications where larger plates are to be lifted with two clamps in combination with a two-legged chain. | 0.5-IPU10 | 500 | 0 – 16 | CLP005 |
| | 1-IPU10 | 1000 | 0 – 20 | CLP010 |
| | 2-IPU10 | 2000 | 0 – 35 | CLP020 |
| | 3-IPU10 | 3000 | 0 – 40 | CLP030 |
| | 4.5-IPU10 | 4500 | 0 – 40 | CLP040 |
| | 6-IPU10 | 6000 | 0 – 50 | CLP060 |
| | 9-IPU10 | 9000 | 0 – 50 | CLP070 |
| | 9-IPU10/J | 9000 | 50 – 100 | CLP071 |
| | 12-IPU10 | 12000 | 0 – 54 | CLP080 |
| | 12-IPU10/J | 12000 | 54 – 108 | CLP081 |
| Vertical Plate | | | | |
| The IP10 clamps may be used to lift, turn by 180° and vertically transport steel plates and construction elements. | 0.5-IP10 | 500 | 0 – 16 | CLP014 |
| | 1-IP10 | 1000 | 0 – 20 | CLP012 |
| | 2-IP10 | 2000 | 0 – 35 | CLP022 |
| | 3-IP10 | 3000 | 0 – 40 | CLP032 |
| | 4.5-IP10 | 4500 | 0 – 40 | CLP042 |
| | 6-IP10 | 6000 | 0 – 50 | CLP062 |
| | 9-IP10 | 9000 | 0 – 50 | CLP075 |
| | 9-IP10/J | 9000 | 50 – 100 | CLP076 |
| | 12-IP10 | 12000 | 0 – 54 | CLP085 |
| | 12-IP10/J | 12000 | 54 – 108 | CLP086 |
| Non Marring Vertical Plate | | | | |
| | 1-IPNM10 | 1000 | 0 – 20 | CLP410 |



The information shown is to be used as a guide only. Specifications are subject to change without notice. All materials handling or lifting jobs should be assessed individually. Pacific Hoists products are NOT to be used for lifting or lowering persons.

HEAD OFFICE

24 Foundry Rd,
Seven Hills NSW 2147 Australia
| P +61 2 8825 6900
| F +61 2 8825 6999
| E sales@pacifichoists.com.au

WESTERN AUSTRALIA

Unit 1, 31 Colin Jamieson Drive,
Welshpool WA 6106 Australia
| P +61 8 6253 1000
| F +61 8 9458 9840
| E sales@pacifichoists.com.au

NEW ZEALAND

11 Druces Rd,
Wiri 2104 Auckland New Zealand
| P +64 9 263 5566
| F +64 9 263 5567
| E info@pacifichoists.co.nz

Specifications (Continued)

| CLAMP TYPE | MODEL | RATED CAPACITY (KG) | JAW (MM) | STOCK CODE |
|---|-------------|---------------------|----------|------------|
| Horizontal Plate | | | | |
| These clamps are suitable for the lifting and transfer in horizontal position of non-sagging steel plates. The clamp is equipped with a handle for simple and easy placement onto the plate. These clamps must be used in pairs or more. Available in capacities of 2 to 12 tonne. All clamps are individually proof tested to 2 times the rated capacity with certification. | 2 IPH10E | 2000 | 0 – 60 | CLP516 |
| | 3 IPH10E | 3000 | 0 - 60 | CLP531 |
| | 3 IPH10JE | 3000 | 60 - 120 | CLP536 |
| | 4.5 IPHTONZ | 4500 | 0 - 60 | CLP545 |
| | 6 IPH10E | 6000 | 0 - 60 | CLP561 |
| | 6 IPH10JE | 6000 | 60 - 120 | CLP571 |
| | 9 IPH10E | 9000 | 0 - 60 | CLP091 |
| | 9 IPH10JE | 9000 | 60 - 120 | CLP096 |
| | 12IPH10E | 12000 | 0 - 60 | - |
| 12IPH10JE | 12000 | 60 - 120 | - | |
| Horizontal Lifting Clamp (Manual pre-tensioning) | | | | |
| | 1-IPBC | 1000 | 0 – 20 | CLP100 |
| | 2-IPBC | 2000 | 0 – 25 | CLP200 |
| Vertical Drum | | | | |
| The IPVK drum clamp is for vertical lift and transfer. Automatically locks on drum and can be used alone or in pairs. The IPDV drum is for vertical lift and transfer. Allows drum to remain in an upright position during the lift and transfer using one clamp | 0.5-IPVK | 500 | 17 | CLP900 |
| | 0.5-IPDV | 500 | 300 | CLP910 |
| Horizontal Plate (with locking device) | | | | |
| | 1.5-IPHGZ | 1500 | 0 – 25 | CLP115 |
| | 3-IPHGZ | 3000 | 0 – 40 | CLP130 |
| Horizontal Pipe Hook (pair) | | | | |
| | 2-IPP | 2000 | 200 | CLP320 |
| Beam Clamp (with locking device) | | | | |
| | 1.5-IPBHZ | 1500 | 0 – 25 | CLP580 |
| | 3-IPBHZ | 3000 | 0 – 40 | CLP585 |



The information shown is to be used as a guide only. Specifications are subject to change without notice. All materials handling or lifting jobs should be assessed individually. Pacific Hoists products are NOT to be used for lifting or lowering persons.

HEAD OFFICE

24 Foundry Rd,
Seven Hills NSW 2147 Australia
| P +61 2 8825 6900
| F +61 2 8825 6999
| E sales@pacifichoists.com.au

WESTERN AUSTRALIA

Unit 1, 31 Colin Jamieson Drive,
Welshpool WA 6106 Australia
| P +61 8 6253 1000
| F +61 8 9458 9840
| E sales@pacifichoists.com.au

NEW ZEALAND

11 Druces Rd,
Wiri 2104 Auckland New Zealand
| P +64 9 263 5566
| F +64 9 263 5567
| E info@pacifichoists.co.nz